


PRODUCTS & SERVICES

Lameco laminated shims



STANDARD / MATERIAL						NORME	SPECIFIC WEIGHT	THICKNESS OF LAMINATIONS (MM / INCH)											
								0,005 .0002	0,010 .0004	0,012 .0005	0,019 .0007	0,023 .0009	0,025 .001	0,05 .002	0,075 .003	0,1 .004	0,11 .0043	0,2 .008	
STD	EN	BS	AISI/SAE	UNS	ISO			1	2	3	4	5	6	7	8	9	10	11	
Aluminium																			
LS1	1200	1200	1200	A91200	Al99,0		2.8							X	X				
LS2	5052	5052	5052	A95052	AlMg2,5	EN 573-3, EN 546-2	2.8							X	X				
LS18	1050	1050A	1050	A91050	Al99,5	AMS-DTL-22499/1 LN 29557-3	2.8							X		X		X	
LS19	1100	1100	1100	A91100	Al99,0Cu		2.71												
Brass																			
LS3	CuZn37	CZ108		C27700	CuZn37	AMS-DTL-22499/2, LN 29557-2	8.5						X	X	X	X			
Stainless Steel																			
LS4	1.4300	304S31	302	S30200			8.2							X	X	X			
LS5	1.4301	304S15	304	S30400		EN 10088-1, EN 10088-2 AMS-DTL-22499/3 LN 29557-1	8.2		X				X	X	X	X			
	1.4350	304S16																	
LS6	1.4306	304S11	304L	S30403			8.2						X	X	X				
LS7	1.4401	316S16	316	S31600		EN 10088-1, EN 10088-2 AMS-DTL-22499/3 LN 29557-1	8.2							X	X				
	1.4436	316S33																	
LS8	1.4404	316S12	316L	S31603		EN 10088-1, EN 10088-2 AMS-DTL-22499/3 LN 29557-1	8.2							X	X	X			
	1.4435	316S13																	
Steel																			
LS9	1.1121	040A10	1010	G10100	1010	EN 10084, AMS-DTL-22499, SAE AMS 6387	7.85							X		X			
LS23	1.0338	14491CR	A620		DC04	EN 10130 & 10139, AMS-DTL-22499, SAE AMS 6387	7.85						X						
Titanium																			
LS10	3.7025	2TA1	Ti Gr1	R50250	5832-2	ASTM B 265	4.5						X	X	X	X			
LS11	3.7035	TA 2	Ti Gr2	R50400	5832-2	AMS-DTL-22499	4.5							X	X	X			
INTERCOMPOSITE®																			
LS12	(polymer/epoxy/polyester)					ISO 15988	1.395			X	X	X	X	X	X	X	X		X
DUOPEEL®																			
LS13*	(metallised polyester)						1.395			X	X	X		X					
X.FIBER®																			
LS15*	(carbon fabric)						1.05											X	
LS16	(PLUS glass fabric)						1.35 to 1.39							X	X	X			
COBRA.X®																			
LS17	(BCRW fabric)						1	X											
PIMYX®																			
LS20	(polyimide)					AMS-DTL-22499	1.42								X				
X.FIBER HIGH-DENSITY®																			
LS21	(high-performance glass fabric)						1.35									X			
PEEKPEEL®																			
LS22	(polyetheretherketone)						1.3			X	X	X	X	X	X	X	X		X

*LS14 has been superseded