

PRODUCTS & SERVICES

Lameco laminated shims



| STANDARD / MATERIAL | | | | | | SPECIFIC WEIGHT | THICKNESS OF LAMINATIONS (MM/ INCHES) | | | | | | | | | | | |
|------------------------|---------------------------|--------|----------|--------|---------|-----------------|--|----------------|----------------|----------------|----------------|---------------|--------------|---------------|-------------|---------------|-------------|---|
| | | | | | | | STANDARD | | | | | | | | | | | |
| STD | EN | BS | AISI/SAE | UNS | ISO | | 0,005 .0002 | 0,010 .0004 | 0,012 .0005 | 0,019 .0007 | 0,023 .0009 | 0,025 .001 | 0,05 .002 | 0,075 .003 | 0,1 .004 | 0,11 .0043 | 0,2 .008 | |
| | | | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | |
| Aluminium | | | | | | | | | | | | | | | | | | |
| LS1 | 1200 | 1200 | 1200 | A91200 | Al99,0 | 2,8 | | | | | | | X | X | X | | | |
| LS2 | 5052 | 5052 | 5052 | A95052 | AlMg2,5 | 2,8 | | | | | | | X | X | | | | |
| Brass | | | | | | | | | | | | | | | | | | |
| LS3 | CuZn37 | CZ108 | | C27700 | CuZn37 | 8,5 | | | | | | X | X | X | X | | | |
| Stainless Steel | | | | | | | | | | | | | | | | | | |
| LS4 | 1.4300 | 304S31 | 302 | S30200 | | 8,2 | | | | | | | X | X | X | | | |
| LS5 | 1.4301 | 304S15 | 304 | S30400 | | 8,2 | | X | | | | X | X | X | X | | | |
| | 1.4350 | 304S16 | | | | | | | | | | | | | | | | |
| LS6 | 1.4306 | 304S11 | 304L | S30403 | | 8,2 | | | | | | X | X | X | | | | |
| LS7 | 1.4401 | 316S16 | 316 | S31600 | | 8,2 | | | | | | X | X | X | | | | |
| | 1.4436 | 316S33 | | | | | | | | | | | | | | | | |
| LS8 | 1.4404 | 316S12 | 316L | S31603 | | 8,2 | | | | | | | X | X | X | | | |
| | 1.4435 | 316S13 | | | | | | | | | | | | | | | | |
| Steel | | | | | | | | | | | | | | | | | | |
| LS9 | 1.1121 | 040A10 | 1010 | G10100 | 1010 | 8,2 | | | | | | X | X | X | X | | | |
| Titanium | | | | | | | | | | | | | | | | | | |
| LS10 | 3.7025 | 2TA1 | Ti Gr1 | R50250 | 5832-2 | 4,5 | | | | | | X | X | X | X | | | |
| LS11 | 3.7035 | TA 2 | Ti Gr2 | R50400 | 5832-2 | 4,5 | | | | | | | X | X | X | | | |
| INTERCOMPOSITE® | | | | | | | | | | | | | | | | | | |
| LS12 | (polymer/epoxy/polyester) | | | | | 1,395 | | | X | X | X | | X | X | X | | | X |
| DUOPEEL® | | | | | | | | | | | | | | | | | | |
| LS13 | (Metallised polyester) | | | | | 1,395 | | | X | X | X | | X | | | | | |
| X.FIBER® | | | | | | | | | | | | | | | | | | |
| LS14 | (glass fabric) | | | | | 1,37 to 1,39 | | | | | | | | X | X | | | |
| LS15 | (carbon fabric) | | | | | 1,05 | | | | | | | | | | X | | |
| LS16 | (PLUS glass fabric) | | | | | 1,37 to 1,39 | | | | | | | | X | X | | | |
| COBRA.X® | | | | | | | | | | | | | | | | | | |
| LS17 | (BCRW fabric) | | | | | 1 | X | | | | | | | | | | | |